



Perivallo 360m
AN LSINC INNOVATION

**Seamless Full-Color Helical Printer
with contour printing technology**

BOUNDLESS POSSIBILITIES

with Full-Contour Printing Capability

Imagine your products being so beautiful that people never want to throw them away.

The **Perivallo360m**® provides distinctive contoured printing that sets your product apart from the rest. Tactile effects can be used to simulate embossing and enhance the user experience.

High definition graphics are printed directly to glass, plastic, metal or wood - no paper or adhesive required. Get ahead of the competition with one to one personalization with a minimum run length of just one piece!



- 1 The Human Machine Interface (HMI) serves as your print queue and enables you to set-up and store "recipes" for commonly manufactured products.
- 2 The single-spindle shuttle system provides transport for your object into the print engine. Items with diameters from .75" to 5.5" and a length of up to 16" can be printed on the **Perivallo360m**.
- 3 Up to seven (7) inks can be loaded into the standard ink configuration. Ink usage and levels can be monitored on the HMI.
- 4 This printer uses Ricoh's Gen4 Piezoelectric print heads, the JetINX™ Printhead Drive and Ink Recirculation system for ink management and delivery, and LSINC's proprietary Perivallo™ Workbench software to provide seamless 360° helical printing.

- 5 Ink is pinned during the printing process to prevent spread. A final UV cure is applied once printing is completed.

AT LSINC

IDEAS TO REALITY is not just our tag line, it's what we do for corporations around the globe. LSINC provides innovative approaches to every day manufacturing challenges. This spirit of innovation has led to the development of the Perivallo360m®, PeriQ360™, and PeriOne™ direct-to-object printers. We also provide consulting and engineering services to seamlessly integrate our technology into your current manufacturing operation, or bring your manufacturing ideas to reality through our consulting and custom engineering engagements.

FEATURES


- Edge-to-edge, seamless 360° printing
- Tactile Effects (including digital cartouche)
- Full-color printing
- High speed precision ink placement
- Prints on cylinders, cones, tapers, and contours
- Prints on glass, metal, wood, and plastic
- Print on demand – eliminates waste
- Eco-friendly digital ink
- Flexibility with quick-change fixtures

APPLICATIONS

- Wine & Spirits
- Personalized Gifts
- Specialty Beverage
- Syrups/Flavorings
- Cosmetic
- Pharmaceutical
- Specialty Foods
- Prototyping

TYPES OF PRINTING

1. Tactile Raised UV
2. No Die-Lines
3. 360° Seamless Printing
4. Contoured Printing




OUR FOCUS IS ON INNOVATIVE,
PRODUCTIVE SOLUTIONS THAT
HELP OUR CLIENTS WORK MORE
EFFICIENTLY EVERY DAY.

SPECIFICATIONS

Print Technology	JetINX print engine
Inkjet Technology	Ricoh Gen4 Piezoelectric print heads
Max Resolution	780 x 900 to 1247 x 1200 dependent on diameter
Print Type	Helical, Contour following
Max Coating Thickness	Dependent on resolution
Formats	
Max Item Diameter	5.47" (139 mm)
Min Item Diameter	.75" (20 mm)
Max Item Length	16" (406 mm)
Max Taper Angle	+/- 30°
Ink Handling (colors)	CMYKW, CMYKWV, PCMYKWV
Ink Channels	7 STD
Loading/Unloading	Manual
Feeder Capacity	1 Item
User Interface	On-board controller accessible via a 21" display
RIP Software	Onyx Thrive
Pretreatment	Dependent upon substrate
Curing	
Lamp Style	LED
Final Cure	Y
Pin	Y
Auto Lamp	Y
Dynamic Lamp Settings	N
Dimensions/Weight	L: 93" (236 cm) W: 32.5" (76 cm) H: 73" (185 cm) 1060lb (480 kg)
Electrical Requirements	16A, 200-240V, 50/60 Hz, Phase 1
Environment	18 to 30°C/65 to 86° F; Humidity 40-70% (recommended)
Factory Air	Continuously available compressed air with a minimum of 90psi (6.2 bar)



Scan this QR Code to see the Perivallo360m in action!



Contours Cylinders Tapers

Max Speeds	Product Type	Per Minute	Per Hour	Per Shift	Per Day
*speed is determined by image height and resolution.	4" H (101.6 mm) artwork	2.9	174	1392	4176



Bring your vision to life with limitless possibilities.

Contact us today to learn more:

Call 1-256-721-4011 or email info@LSINC.com

490 Discovery Dr. NW, Huntsville, AL 35806