




Fast & Affordable Direct-to-Object Printer



### **AFFORDABLE & PRODUCTIVE**

# Ease of Entry into Direct-to-Object Printing!

The PeriOne<sup>™</sup> is our single-spindle, cylindrical printer based on the award-winning technology of the PeriQ360. This printer provides ease of entry into the direct-to-object market, while also providing fast and efficient performance for light production, prototyping and personalized media. Stand out features include: the ability to print directly to clear glass without the use of a barrier, automated wiping and capping of the inkjet heads, and faster print speeds than its nearest competitors.



#### AT LSINC

IDEAS TO REALITY is not just our tag line, it's what we do for corporations around the globe. LSINC provides innovative approaches to every day manufacturing challenges. This spirit of innovation has led to the development of the Perivallo360m<sup>®</sup>, PeriQ360<sup>™</sup>, and PeriOne<sup>™</sup> direct-to-object printers. We also provide consulting and engineering services to seamlessly integrate our technology into your current manufacturing operation, or bring your manufacturing ideas to reality through our consulting and custom engineering engagements.

### **FEATURES**

- Prints on diameters from 1.5" to 6"
- Prints up to 18" long
- · Automated head wiping and capping
- · Prints on clear or colored glass
- · Tactile designs
- Full-color seamless 360° printing
- Prints on cylinders and tapers
- Prints on demand eliminates waste
- Prints on glass, metal, wood, and plastic
- Eco-friendly digital inks
- Quick change fixtures

#### **APPLICATIONS**

- Drinkware
- Personalized Items
- Protoyping
- Wine & Spirits
- Beverage
- Aerosol Cans
- Syrups/Flavorings
- Cosmetic
- Pharmaceutical
- Candle jars



#### OTHER LSINC DIRECT-TO-PRINT TECHNOLOGIES





# MPerivallo360m

AN LSINC INNOVATION



OUR FOCUS IS ON CREATING INNOVATIVE, PRODUCTIVE SOLUTIONS THAT HELP OUR CLIENTS WORK MORE EFFICIENTLY EVERY DAY.







#### **SPECIFICATIONS**

JetINX print engine **Print Technology** 

**Inkjet Technology** Ricoh Gen4 Piezoelectric print heads

**Standard Resolutions** 780 x 900 to 1247 x 1200 dependent on diameter

**Print Type** Helical

**Max Coating Thickness** Depends on resolution

**Formats** 

Max Item Diameter 6" (152 mm) Min Item Diameter 1.5" (38 mm) Max Item Length 18" (457 mm)

+ 10°/-2° Max Taper Angle

Ink Handling (colors) CMYKW, CMYKWV, PCMYKWV

**Ink Channels** 7 STD Loading/Unloading Manual **Feeder Capacity** 1 Item

**Human Machine Interface (HMI)** On-board controller accessible via a 21" display

**RIP Software** Onyx Thrive

Curing

Lamp Style LED **Final Cure** Υ Pin Υ Υ Auto Lamp

Υ **Dynamic Lamp Settings** 

**Dimensions/Weight** L: 93" (236 cm) W: 30" (76 cm) H: 73" (185 cm) | 1060 lbs (480 kg)

**Electrical Requirements** 16A, 230 VAC, 50/60 Hz, Phase 1 **Automation** Automatic head wiping and capping

**Environment** 18 to 30°C/65 to 86° F; Humidity 40-70% (recommended)

**Factory Air** Continuously available compressed air with a minimum of 90psi (6.2 bar)

Max Speeds	Product Type	Per Minute	Per Hour	Per Shift	Per Day
*speed is determined by image height and resolution.	4" H (101.6 mm) artwork	up to 4.7	up to 282	up to 2256	up to 4512

## **Fast & Affordable Direct-to-Object Printer**

Contact us today to learn more:

Call 1-256-721-4011 email info@LSINC.com

490 Discovery Dr. NW, Huntsville, AL 35806







The PeriOne won

the 2022 Pinnacle Award for Best

Direct-to-Object

Printer

(non-flatbed)



